

DOXEM® PRECISE

Dry Flowable Cockroach Bait

KILLS: Ants (excluding fire, pharaoh, harvester, and carpenter ants), Booklice, Carpet Beetles, Cockroaches (indoor use only), Crickets, Dungstore Beetles, Earwigs, Firebrats, Flour Beetles, Grain Weevils, Pillbugs, Silverfish and Sowbugs.

FOR USE IN: Apartments, Campgrounds, Garages, Food Storage Areas, Homes, Hospitals and Nursing Homes, Hotels, Meat Packing and Food Processing Plants, Motels, Resorts, Restaurants and other Food Handling Establishments, Schools, Supermarkets, Transportation Equipment (Buses, Boats, Ships, Trains, Trucks, Planes), Utilities, Warehouses, and other Commercial and Industrial Buildings.

*Make applications only in unoccupied areas and patient/resident rooms when occupants are not present.

†Do not apply to classrooms when in use. ‡Do not apply in cockpit.

ACTIVE INGREDIENT:	BY WT.
Indoxacarb	0.6%
OTHER INGREDIENTS:	93.4%
TOTAL:	100.0%

(S)-methyl 7-chloro-2,5-dihydro-2-[[[imethoxy-carbonyl(4-trifluoromethoxy)phenyl]amino]carbonyl]indeno[1,2-e][1,3,4]oxadiazine-4a-(3H)-carboxylate

KEEP OUT OF REACH OF CHILDREN CAUTION

See insert label for First Aid, Precautionary Statements, Directions for Use and additional information.

EPA REG. NO. 53883-438

EPA EST NO. 53883-TX-002

NET CONTENTS: 20 GRAMS



Manufactured for:
Control Solutions Inc.
1142 West 4th St., Portland, OR 97201
A Division of **Ardenne**

FIRST AID

IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.
- Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this pesticide product (including health concerns or pesticide incidents), call Safety Call® International at 1-866-897-8050, twenty-four (24) hours per day, seven (7) days per week (privacy@safetycall.com). OR For information on this pesticide product (including health concerns or pesticide incidents), call the National Pesticide Information Center (NPIC) at 1-800-853-7378, Monday through Friday, 8:00 AM to 12:00 PM Pacific Time (NPIC Website: www.npic.orst.edu). After 12:00 PM Pacific Time Weekdays and during the weekend, call your poison control center at 1-800-222-1222.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Do not apply where children (or domestic animals) are likely to come in frequent contact with treated areas. Any powder visible after application is complete should be brushed into cracks or crevices or removed by cleaning the area with a cloth and mild detergent solution. No generalized dusting should be done in household areas accessible to children or pets.

PHYSICAL OR CHEMICAL HAZARDS

Do not mix or allow coming in contact with oxidizing agent. Hazardous chemical reaction may occur.

USER SAFETY RECOMMENDATIONS

USERS SHOULD: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure

For void applications, insert application straw into the void and dispense bait for 2 1/2 to 7 1/2 seconds. For smaller voids, or light infestations, use the lower end of the specified rate range. For large voids, or heavy infestations, use the upper end of the specified rate range.

Rate	Grams of Doxem® Precise Applied	Amount of time to Activate trigger	Total # placements in 5 g canister
Low	0.05 g	2.5 seconds	100
Medium	0.075 g	3.75 seconds	67
High	0.15 g	7.5 seconds	33

INDOOR TREATMENTS

COCKROACHES, ANTS (excluding fire, pharaoh, harvester, and carpenter ants) AND CRICKETS: Apply thoroughly to all areas where these pests crawl and hide, especially in cracks and crevices, voids and hidden surfaces around sinks and storage areas, behind baseboards, around doors and windows, cabinets, pantries, stoves, behind refrigerators and other installed appliances and in attics and crawl spaces. Check bait placements regularly and replace as needed.

EARWIGS, PILL BUGS AND SOW BUGS: Apply in cracks and crevices around doors and windows and other places where these pests may enter premises. Treat voids and other enclosed locations where these pests may hide or are found.

STORED PRODUCT PESTS – Including Drugstore Beetles (exposed adult and larva stages), Flour Beetles and Grain Weevils: Remove all food, utensils, serving ware and non-adhesive shelving paper before treatment. Treat cracks and crevices and/or voids where these insects may be harboring. Infested areas include, but are not limited to, cracks and crevices in cabinets, pantries and wall voids. During follow-up visits, inspect bait placements and reapply when necessary. Cover shelves with shelving paper after treatment. Destroy or discard infested food packages.

SILVERFISH: Apply in cracks and crevices where these pests are found. Treat voids and enclosed locations where these pests may hide or are found. Treatment may be made to voids in near food pantries, kitchen and bathroom cabinets, behind baseboards, around doors, around windows, behind wall paper, in wall voids, in attics, in crawl spaces and other construction voids. During follow up visits, inspect bait placements and reapply when necessary.

CARPET BEETLES – Including Black, Furniture and Varied: Apply to cracks and crevices where these insects are found.

AIRCRAFT CABINS: Apply bait in suspected and infested cockroach areas. Place a bait placement in areas between elements of construction. Use 5-20 bait placements/100 ft. Do not apply any bait in cockpit area.

FOOD AREAS OF FOOD/FEED HANDLING ESTABLISHMENTS: Food/feed handling establishments are places other than private residences in which food/feed is held, processed, prepared or served. **APPLICATIONS OF THIS PRODUCT IN FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS ARE LIMITED TO CRACK AND CREVICE TREATMENT ONLY AND MAY OCCUR WHEN FACILITY IS IN OPERATION.** Food areas include areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas (when food is exposed and facility is in operation) would also be considered a food area. Apply product according to the level of infestation as prescribed in the General Instructions into cracks and crevices associated with wall voids, pieces of equipment, stainless steel tables, drains, storage-equipment, and dining tables. Also apply between elements of construction. During follow-up visits, inspect bait placements and reapply when necessary. Do not contaminate feed or food products or food preparation surfaces, dishes, kitchen utensils or food containers.

OUTDOOR TREATMENTS

Use for control of ants (excluding fire, pharaoh, harvester, and carpenter ants), crickets, earwigs, ground beetles, pillbugs and sowbugs. Inject into cracks and crevices around windows and doors, porches, screens, eaves, patios, garages, under stairways and in crawl spaces as well as under siding or exterior construction elements.